

IN THE CLAIMS:

~~Please~~ amend Claims 1 to 6 and 9 to 12 as follows. The claims, as pending in the subject application, read as follows:

1. (Currently Amended) A method of conceptually magnifying, in a display, video browser data, said data being organized hierarchically in one or more levels, each of such levels including multiple frames including a key frame, the method comprising the steps of:

selecting a parent level, said parent level selection making visible a **first** key frame associated with said parent level;

choosing one of a parent-only and a parent-children magnification mode; and performing conceptual magnification; ~~said conceptual magnification~~

A2 ~~displaying, conceptually magnifying, in~~ if the parent-only mode is chosen, the **first** key frame associated with said parent level and other key frames which are also associated with said parent level; and

~~said conceptual magnification displaying, conceptually magnifying, [[in]] if~~ the parent-children mode is chosen, the **first** key frame associated with said parent level and **second** key frames associated with an associated children level.

2. (Currently Amended) A method according to claim 1[[;]], ~~wherein in the~~ parent-only mode ~~said conceptual magnification performing step is accompanied by a~~ further step of:

~~displaying a first area of the GUI adjacent to said first key frame, and first corresponding areas of the GUI adjacent to said other frames, and wherein in the parent-children mode, said conceptual magnification performing step is accompanied by a further step of:~~

~~displaying a second area of the GUI adjacent to said first key frame, and second corresponding areas of the GUI adjacent to said second key frames:~~

wherein said conceptual magnification comprises, in relation to the parent only-mode, (I) displaying in magnified form the key frame and the other key frames associated with the parent level, and (ii) flagging presence of undisplayed data associated with the key frame and the other key frames associated with the parent level,

and wherein said conceptual magnification comprises, in relation to the parent-children mode, (I) displaying in magnified form the key frame associated with the parent level and the key frames associated with the children level, and (ii) flagging presence of undisplayed data associated with the key frame associated with the parent level and the key frames associated with the children level.

3. (Currently Amended) A method according to claim 1[[;]], wherein in the parent-only mode, said conceptual magnification performing step comprises sub-steps of:

displaying the **first** key frame associated with said parent level for a first time interval; and

displaying the other key frames which are also associated with said parent level for a second time interval[[:]], and wherein in the parent-children mode, said performing step comprises sub-steps of:

displaying the first key frame associated with said parent level for a third time interval; and

displaying said second key frames associated with said associated children level for a fourth time interval.

A²

4. (Currently Amended) A method according to claim 1, wherein said first and second key frames, ~~and said other frames~~, comprise one or more of text and image data.

5. (Currently Amended) An apparatus for conceptually magnifying, in a display, video browser data, said data being organized hierarchically in one or more levels, each of such levels including multiple frames including a key frame, the apparatus comprising:

parent level selection means for selecting a parent level, said parent level selection making visible a first key frame associated with said parent level;

magnification mode selection means for choosing one of a parent-only and a parent-children magnification mode;

~~conceptual magnification means for performing conceptual magnification;~~
and display means[[:]] for displaying conceptually magnifying, in the parent-only mode, the

first key frame associated with said parent level and other key frames which are also associated with said parent level[[:]], and for displaying conceptually magnifying, in the parent-children mode, the ~~first~~ key frame associated with said parent level and ~~second~~ key frames associated with an associated children level.

6. (Currently Amended) An apparatus according to claim 5[[:]],

AJ wherein[[:]] said display means is adapted, in the parent-only mode, for (I) displaying in magnified form the key frame and the other key frames associated with the parent level, and (ii) flagging presence of undisplayed data associated with the key frame and the other key frames associated with the parent level, ~~displaying a first area of the GUI adjacent to said first key frame, and first corresponding areas of the GUI adjacent to said other frames;~~

and wherein[[:]] in the parent-children mode, said display means is adapted for ~~displaying a second area of the GUI adjacent to said first key frame, and second corresponding areas of the GUI adjacent to said second key frames~~ (I) displaying in magnified form the key frame associated with the parent level and the key frames associated with the children level, and (ii) flagging presence of undisplayed data associated with the key frame associated with the parent level and the key frames associated with the children level.

7. (Original) An apparatus according to claim 5, wherein representations of the hierarchically organized video data levels are spatially disposed in relation to selection

means, which selection means comprises a radially adjustable pointer whose radial orientation relative to the representations is indicative of the hierarchical level to be selected.

A2 8. (Original) An apparatus according to claim 7, further comprising an adjustable scrolling means which is adapted, in response to an adjustment of said adjustable scrolling means, to linearly translate the representations of the hierarchically organized video data levels in relation to the selection means, thereby effecting a change in the radial orientation of the selection means relative to the representations, said changed radial orientation relative to the representations being indicative of the hierarchical level to be selected.

9. (Currently Amended) A computer program product comprising a computer program for apparatus for conceptually magnifying in a display, video browser data, said data being organized hierarchically in one or more levels, each of such levels including multiple frames including a key frame, the program comprising:

code for a selecting step for selecting a parent level, said parent level selection making visible a ~~first~~ key frame associated with said parent level;

code for a magnification mode selection step for choosing one of a parent-only and a parent-children magnification mode; and

code for ~~a conceptual magnification step for performing conceptual magnification; said conceptual magnification displaying, in~~ conceptually magnifying, if the

parent-only mode is chosen, the first key frame associated with said parent level and other key frames which are also associated with said parent level[[:]], and ~~said conceptual magnification displaying, in~~ for conceptually magnifying, if the parent-children mode is chosen, the first key frame associated with said parent level and ~~second~~ key frames associated with an associated children level.

10. (Currently Amended) A computer program according to claim 9[[:]], wherein in the parent-only mode said code for said conceptual magnification performing step is accompanied by code for ~~a further step of:~~

~~displaying a first area of the GUI adjacent to said first key frame, and first corresponding areas of the GUI adjacent to said other frames; (I) displaying in magnified form the key frame and the other key frames associated with the parent level, and (ii) flagging presence of undisplayed data associated with the key frame and the other key frames associated with the parent level,~~

and wherein in the parent-children mode, said code for said conceptual magnification performing step is accompanied by code for ~~a further step of:~~

~~displaying a second area of the GUI adjacent to said first key frame, and second corresponding areas of the GUI adjacent to said second key frames (I) displaying in magnified form the key frame associated with the parent level and the key frames associated with the children level, and (ii) flagging presence of undisplayed data associated with the key frame associated with the parent level and the key frames associated with the children level.~~

11. (Currently Amended) A computer program product according to claim 9[[;]], wherein in the parent-only mode, said code for the conceptual magnification step comprises code for sub-steps of:

displaying the ~~first~~ key frame associated with said parent level for a first time interval; and

A2 displaying the other key frames which are also associated with said parent level for a second time interval[[;]], and wherein in the parent-children mode, said code for the conceptual magnification step comprises code for sub-steps of:

displaying the first key frame associated with said parent level for a third time interval; and

displaying said ~~second~~ key frames associated with said associated children level for a fourth time interval.

12. (Currently Amended) A computer program product according to claim 9, wherein said ~~first and second~~ key frames, ~~and said other frames~~, comprise one or more of text and image data.
